

# PHP 製作線上互動資料網頁 上傳至網路空間

---

國立臺中教育大學 數位內容科技學系

吳智鴻

EMAIL:CHWU@MAIL.NTCU.EDU.TW

# 把做好的網站上傳至虛擬空間的步驟

---

Step 1. 註冊帳號

Step 2. 登入主控台

Step 3. 資料庫 (.sql)上傳

Step 4. 更改你的**資料庫連線程式**，讓**資料庫名稱與密碼與虛擬空間的一致**

Step 5. 設定FTP主機與帳號密碼，用FileZilla把網站上傳

Step 6. 測試

# www.summerhost.info

1000MB PHP MySQL空間

cPanel後台管理



uptime 100%

Home Free Web Hosting Paid Hosting Register-Free Support Center Forum Site Links

Welcome to SummerHost.Info Free Web Hosting

請選取語言

由「Google 翻譯」技術提供

Earn real \$\$\$ from your webpages every day for free!! [click here](#)  
[Sell your ad space with BidVertiser](#)

## Create your Free Website!

Get your own fully featured hosting control panel account, with FTP, MySQL, PHP, add-on domains, free sub domain name under your URL, file manager, PHPMyAdmin, sitebuilder and script installer, this installer includes 333 scripts such as: Joomla, WordPress, phpBB, B2evolution, Concrete5, Drupal, PHP Nuke, Pligg, Cube... and more, many many more great features all for free!  
Our newest feature is HTTPS/SSL on all free hosting domains using a self signed certificate!

Signup now for Free!

Your username will be your domain example: if your username is **john123**  
Your domain/url will be <http://john123.summerhost.info>

Simply fill in the form below then check your email

Username (cannot be less than 4 characters)	enter username	<input type="text" value="profchwu"/>
Password (cannot be less than 5 characters)	enter password	<input type="password" value="....."/>
Email Address	enter your email	<input type="text"/>
Site Category	select category	<input type="text" value="Choose from Below"/>
Site Language	select language	<input type="text" value="Choose from Below"/>
Security Code		
Enter Security Code	enter code	<input type="text"/>

Remember **YOU MUST** check your inbox  
Then click our [confirmation link](#)  
**ONLY** after you click the [confirmation link](#)  
[Can you receive your log-in info.](#)

By using the free hosting service, you accept the rules using the following [Terms of Use](#)

# 至EMAIL收信

右方就是你的帳號訊息

- Your new summerhost.info hosting account

- **Hosting Activation** <noreply@hostmessage.info>

收件者 [REDACTED]

Hello

First thing you need to do is REMOVE ALL Advertising from your Summerhost domain by visiting <http://www.elistr.com/removeads.html>

and follow the simple steps on that page.

Save this information for future reference:

Your username [sum\\_19717973](#)

Your password [REDACTED]

Your website URL <http://profchwu.summerhost.info>

Your cPanel URL <http://cpanel.summerhost.info>

Your FTP hostname <ftp.summerhost.info>

Your email address [REDACTED]

Your script access details  
(if chosen to auto install script)

Forum URL <http://summerhost.info/forum>

For a searchable knowlegebase with answers to most common questions please use : <http://kb.ifastnet.com/>  
For tutorials on common tasks please visit <http://tutorials.ifastnet.com/>

Thank you for choosing summerhost.info

← 回覆   ← 回覆所有人   → 轉寄   ... 更多選項

# 登入控制台

網址：

<http://cpanel.summerhost.info/>



SUMMERHOST.INFO  
Best Free Web Hosting

Username  
sum\_19717973

Password  
.....

cPanel X3 ▼ Log in

Language Chinese\_traditional ▼  
Lost Password

# 主控台

選取MySQL資料庫，建立  
自己的資料庫

The screenshot shows a web hosting control panel with the following sections:

- Announcement:** "Try the new Script Installer! softaculous" with a box of software icons.
- Find:** A search bar for finding functions quickly.
- Stats:** Account statistics including:
  - 主機方案: 免費
  - FTP 帳號: 1 / 1
  - 子網域: 0 / Unlimited
  - 附加網域: 0 / Unlimited
  - 存放網域: 0 / Unlimited
  - MySQL 資料庫: 1 / 50
  - 磁碟空間額度: Unlimited
  - Disk Space Used: 0 MB
  - Disk Free: Unlimited
  - Inodes Used: [input field]
  - 月流量額度: Unlimited
  - 已使用流量: 0 MB
  - 未使用流量: Unlimited
  - Daily Hits Used: 0 % (0 of 50000)
- Account Details:**
  - Main Domain: profchwu.summer...
  - FTP 主機名稱: ftp.summerhost.info
  - FTP 使用者名稱: sum\_19717973
  - MySQL 主機: sql200.summerho...
- Preferences:** 新手上階, Account settings, 更改密碼, 更改聯絡資訊, Change Language, 升級帳號.
- Domains:** 子網域, 附加網域, 存放網域, Redirects, Get a free cu.cc domain.
- Email:** MX Entry, SPF Records, Email Accounts, Email Forwarders, Webmail.
- Databases:** MySQL 資料庫 (highlighted with a red box), phpMyAdmin, Remote MySQL.
- Logs:** Error Logs, Access Logs.
- Files:** 備份, 檔案管理員, Disk Space Usage, FTP Accounts, 下載 FTP 軟體.
- Security:** SSL/TLS Manager.
- DNS:** CNAME 紀錄, MX Entry, SPF Records, Redirects.
- Software/Services:** Various application icons like php, calendar, and document editors.

# 線上建立自己資料庫

資料庫輸入 basic

按下create database

Worldwide Free Classified Ads  
Advertise - Buy - Sell - Trade - Rent - Personals and more [www.elistr.com](http://www.elistr.com)

HOME HELP LOGOUT

Register  
Register a Domain Register  
SUMMERHOST.INFO  
Best Free Web Hosting

CPanel 11

### MySQL 資料庫

MySQL Databases allow you to store lots of information in an easy to access manner. The databases themselves are not easily read by humans. MySQL databases are required by many web applications including some bulletin boards, content management systems, and others. To use a database, you'll need to create it. Only your MySQL Username (same as your control panel login user) has privileges to access a database and read from or write to that database.

[Video Tutorial](#)

您可以在此新增或移除您的 MySQL 資料庫

#### Create new database

New Database:

您正在使用 1 of 50 個資料庫。

#### Delete a database

移除

#### 您現有的資料庫

MySQL DB NAME	MySQL USER NAME	MySQL PASSWORD	MySQL Host NAME	BACKUP	PHPMYADMIN
sum_19717973_test	sum_19717973	(Your cPanel Password)	sql309.summerhost.info	Backup	Admin

如果您有連線到 PhpMyAdmin 的問題，請先登出 vPanel，清除瀏覽器 cookies 和 Firefox 的 [已驗證 session]，並重新登入。

---

Did you know premium hosting allows you to create individual MySQL users and privileges? All premium accounts have upto 1GB of mysql storage. To see a demo: [Click here](#)

Premium hosting MySQL server benefits :

- Create individual MySQL users.
- Set individual MySQL grants per user.
- Remote MySQL connections.

# 上傳SQL檔案

上傳自己建立的SQL檔案

sql309.byetcluster.com » sum\_19717973\_basic

结构 SQL 搜索 查询 导出 导入 操作 程序

导入到数据库 “sum\_19717973\_basic” 新的資料庫名稱

要导入的文件：

文件可能已压缩 (gzip, bzip2, zip) 或未压缩。  
压缩文件名必须以 [格式].[压缩方式] 结尾。如：.sql.zip

从计算机中上传：  basic.sql (最大限制：300 MB)

文件的字符集：

部分导入：

Allow the interruption of an import in case the script detects it is close to the PHP timeout limit. (This might be a good way to import large files, however it can break transactions.)

从首行起要跳过的行数：

格式：

格式特定选项：

SQL 兼容模式：

不要给零值使用自增 (AUTO\_INCREMENT)

oCam (7)  
Menu  
錄製  
106/  
挑戰  
郵

# 導入成功

The screenshot shows the phpMyAdmin interface for a database named 'sum\_19717973\_basic'. A green notification bar at the top indicates a successful import: '导入成功, 执行了 13 个查询。 (basic.sql)'. Below this, the content of the imported SQL dump is displayed, including metadata like 'phpMyAdmin SQL Dump', 'version 4.5.1', and 'http://www.phpmyadmin.net'. The dump also contains server information: '主机: 127.0.0.1', '产生时间: 2017-03-21 17:47:30', '伺服器版本: 10.1.10-MariaDB', and 'PHP 版本: 5.6.19'. A red box highlights the notification and the dump content. Below the dump, the text '导入到数据库 "sum\_19717973\_basic"' is visible. The interface also shows options for file upload, character set (utf-8), and import settings like 'Allow the interruption of an import...' and 'Format: SQL'.

sql309.byetcluster.com » sum\_19717973\_basic

结构 SQL 搜索 查询 导出 导入 操作 程序

✓ 导入成功, 执行了 13 个查询。 (basic.sql)

```
-- phpMyAdmin SQL Dump
-- version 4.5.1
-- http://www.phpmyadmin.net
--
-- 主机: 127.0.0.1
-- 产生时间: 2017-03-21 17:47:30
-- 伺服器版本: 10.1.10-MariaDB
-- PHP 版本: 5.6.19

CREATE DATABASE /*!40101 IF NOT EXISTS*/ `sum_19717973` /*!40101 DEFAULT CHARACTER SET utf8mb4 COLLATE utf8mb4_unicode_ci */;
```

导入到数据库 "sum\_19717973\_basic"

要导入的文件:

文件可能已压缩 (gzip, bzip2, zip) 或未压缩。  
压缩文件名必须以 .[格式].[压缩方式] 结尾。如: .sql.zip

从计算机中上传:  未选择任何檔案 (最大限制: 300 MB)

文件的字符集:

部分导入:

Allow the interruption of an import in case the script detects it is close to the PHP timeout limit. (This might be a good way to import large files, however it can break transactions.)

从首行起要跳过的行数:

格式:

格式特定选项:

SQL 兼容模式:  ⓘ

不要给零值使用自增 (AUTO\_INCREMENT) ⓘ

# 檢查一下

資料已經都正確匯入了

The screenshot shows a web-based SQL management interface. The browser address bar indicates the URL is `sql309.byetcluster.com` and the current database is `sum_19717973_basic`. The interface includes a navigation menu with options like '浏览' (Browse), '结构' (Structure), 'SQL', '搜索' (Search), '插入' (Insert), '导出' (Export), '导入' (Import), and '操作' (Operations). A status bar at the top indicates '显示行 0 - 2 (3 总计, 查询花费 0.0007 秒)'. The SQL query editor shows the following query:

```
SELECT *  
FROM 'activity'  
LIMIT 0, 30
```

Below the query editor, there are controls for displaying the results: '显示: 起始行: 0 行数: 30 每 100 行重复表头'. The main results area shows a table with 3 rows of data, highlighted with a red border:

	id	name	photo_id	dept	sex	tel	birthday	email	addr
<input type="checkbox"/>	1	name	photo_id	數位系	男	tel	0000-00-00	email	addr
<input type="checkbox"/>	2	Wu					0000-00-00		
<input type="checkbox"/>	3	name	photo_id	數位系	男	tel	0000-00-00	email	addr

Below the table, there are controls for selecting and modifying the data: '全选 / 全不选 选中项: 修改 删除 导出'. At the bottom, there is a '查询结果选项' (Query Results Options) section with buttons for '打印预览' (Print Preview), '打印预览 (全文显示)' (Print Preview (Full Text Display)), '导出' (Export), '显示图表' (Show Charts), and '新建视图' (New View).

# 查詢一下你的資料庫名稱與帳號密碼

## 查詢一下你的資料庫名稱與帳號密碼

您現有的資料庫

MySQL DB NAME	MySQL USER NAME	MySQL PASSWORD	MySQL HOST NAME	BACKUP	PHPMyADMIN
sum_19717973_basic	sum_19717973	(Your cPanel Password)	sql309.summerhost.info	Backup	Admin

## FTP 伺服器

Account Details	
Main Domain	profchwu.summer...
FTP 主機名稱	ftp.summerhost.info
FTP 使用者名稱	sum_19717973
MySQL 主機名稱	sql309.summerho...
MySQL 使用者名稱	sum_19717973
Hosting Volume	vol8_7
Home Directory:	/home/vol8_7/summerhost.info/sum_1!

## 主機資訊

Account Details	
Main Domain	profchwu.summer...
FTP hostname:	ftp.summerhost.info
FTP username:	sum_19717973
MySQL hostname:	sql309.summerho...
MySQL username:	sum_19717973
Hosting Volume	vol8_7
Home Directory:	/home/vol8_7/summerhost.info/sum_1!

# 更改資料庫連線之 帳號、密碼、資料表名稱

---

很重要！！！！

所有網頁凡是有用到資料庫連線的都要改

# 更改你的資料庫連線資訊（重要）

## \Connections\conn\_basic.php

---

原先的

```
<?php
# FileName="Connection_php_mysql.htm"
# Type="MYSQL"
# HTTP="true"
$hostname_conn_basic = "localhost";
$database_conn_basic = "basic";
$username_conn_basic = "root";
$password_conn_basic = "1234";
$conn_basic = mysql_pconnect($hostname_conn_basic, $username_conn_basic, $password_conn_basic);
mysql_query("SET NAMES utf8");
?>
```

更改後

```
<?php
# FileName="Connection_php_mysql.htm"
# Type="MYSQL"
# HTTP="true"
$hostname_conn_basic = "sql309.summerhost.info";
$database_conn_basic = "sum_19717973_basic";
$username_conn_basic = "sum_19717973";
$password_conn_basic = "summerhost0508";
$conn_basic = mysql_pconnect($hostname_conn_basic, $username_conn_basic, $password_conn_basic);
mysql_query("SET NAMES utf8");
?>
```

# 更改你的資料庫連線資訊 (重要)

## doedit.php

### 原先的

```
<?php
//第一種連資料庫寫法
//require_once('Connections/conn_basic.php'); ?>
<?php

// 第一種資料庫寫法
//mysql_select_db( $database_conn_basic, $conn_basic);

// 第二種連資料庫寫法
$conn_basic =mysql_connect("localhost","root","1234") or die("無法連接");
mysql_select_db($conn_basic,"basic")or die ("無法選擇資料庫" . mysql_error());
mysql_query($conn_basic, 'SET CHARACTER SET utf8');
mysql_query($conn_basic, "SET collation_connection = 'utf8_general_ci'");

$sql = "UPDATE `activity` SET `name` = '$_POST[name]', `photo_id` = '$_POST[photo_id]',
`sex` = '$_POST[sex]', `tel` = '$_POST[tel]', `birthday` = '$_POST[birthday]',
`activity`.`id` = '$_POST[id]'";

mysql_query($conn_basic,$sql) or die ("無法更新" . mysql_error()); //執行sql語法
mysql_close($conn_basic); //關閉資料庫連結
header("location:index.php"); //回index.php
?>
```

### 更改後

```
<?php
//第一種連資料庫寫法
//require_once('Connections/conn_basic.php'); ?>
<?php

// 第一種資料庫寫法
//mysql_select_db( $database_conn_basic, $conn_basic);

// 第二種連資料庫寫法
$conn_basic =mysql_connect("sql309.summerhost.info","sum 19717973","summerhost0508") or die("無法連接");
mysql_select_db($conn_basic,"sum 19717973 basic")or die ("無法選擇資料庫" . mysql_error());
mysql_query($conn_basic, 'SET CHARACTER SET utf8');
mysql_query($conn_basic, "SET collation_connection = 'utf8_general_ci'");

$sql = "UPDATE `activity` SET `name` = '$_POST[name]', `photo_id` = '$_POST[photo_id]',
`sex` = '$_POST[sex]', `tel` = '$_POST[tel]', `birthday` = '$_POST[birthday]', `email` = '$_POST[email]', `addr` = '$_POST[addr]'";

mysql_query($conn_basic,$sql) or die ("無法更新" . mysql_error()); //執行sql語法
mysql_close($conn_basic); //關閉資料庫連結
header("location:index.php"); //回index.php
?>
```

這些地方要修改成新的主機、帳號、密碼

改成新的資料庫名稱

# 更改你的資料庫連線資訊 (重要)

## del.php

### 原先的

```
<?php
// 第一種連資料庫寫法
// require_once('Connections/conn_basic.php'); ?>
<?php

// 第一種資料庫寫法
//mysql_select_db($database_conn_basic, $conn_basic);

// 第二種連資料庫寫法
$conn_basic =mysql_connect("localhost","root","1234") or die("無法連接");
mysql_select_db($conn_basic,"basic")or die ("無法選擇資料庫" . mysql_error());
mysql_query($conn_basic, 'SET CHARACTER SET utf8');
mysql_query($conn_basic, "SET collation_connection = 'utf8_general_ci'");

$sql = "DELETE FROM `activity` WHERE `activity`.`id` = '$_REQUEST[id]'";

mysql_query($conn_basic,$sql) or die ("無法刪除" . mysql_error()); //執行
mysql_close($conn_basic); //關閉資料庫連結
header("location:index.php"); //回index.php
?>
```

### 更改後

```
<?php
// 第一種連資料庫寫法
// require_once('Connections/conn_basic.php'); ?>
<?php

// 第一種資料庫寫法
//mysql_select_db($database_conn_basic, $conn_basic);

// 第二種連資料庫寫法
$conn_basic =mysql_connect("sql309.summerhost.info","sum_19717973","summerhost0508")
MySQL的資料庫連結
mysql_select_db($conn_basic,"sum_19717973_basic")or die ("無法選擇資料庫" . mysql_error());
mysql_query($conn_basic, 'SET CHARACTER SET utf8');
mysql_query($conn_basic, "SET collation_connection = 'utf8_general_ci'");

$sql = "DELETE FROM `activity` WHERE `activity`.`id` = $_REQUEST[id]";

mysql_query($conn_basic,$sql) or die ("無法刪除" . mysql_error()); //執行sql語法
mysql_close($conn_basic); //關閉資料庫連結
header("location:index.php"); //回index.php
?>
```

這些地方要修改成新的主機、帳號、密碼

改成新的資料庫名稱


# 把修改後的網站用FTP上傳到遠端虛擬主機

---


1. FILE ZILLA 傳整個網站
2. 用DW設定遠端主機，然後遠端測試與上傳

# 方法一 至FileZilla建立站台

建立站台，輸入FTP主機與帳密




連線成功



# 上傳網站

上傳至遠端主機

Htdocs\basic目錄



# 上傳後就可以在瀏覽器檢查是否成功

成功了！

PHP 線上報名系統v1.0

線上報名  
ONLINE

[\[ 新增資料 \]](#)  
[\[ 查詢資料 \]](#)  
[\[ 編修資料 \]](#)

Copyright (c) 2017 by 吳智鴻 ADT104001

注意主機位址

Account Details	
Main Domain	profchwu.summer...
FTP hostname:	ftp.summerhost.info
FTP username:	sum_19717973
MySQL hostname:	sql309.summerho...
MySQL username:	sum_19717973
Hosting Volume	vol8_7
Home Directory:	/home/vol8_7/summerhost.info/sum_19

# 主機位址

<http://profchwu.summerhost.info/basic/>

PHP 線上報名系統v1.0


資料查詢  
[\[回首頁\]](#)

id	姓名	身份證字號	科系	性別	電話	生日	EMAIL	地址
1	name	photo_id	數位系	男	tel	0000-00-00	email	addr
2	Wu					0000-00-00		
3	name	photo_id	數位系	男	tel	0000-00-00	email	addr

總共資料有 3筆

成功移植到遠端虛擬主機上了！

# 方法二：用DW設定遠端主機然後上傳 建立網站



# 新增遠端伺服器資料

網站設定: 活動報名



請在此選取存放您的網頁之伺服器。這個對話方塊中的設定來自您的網際網路服務供應商 (ISP) 或您的網路管理員。

注意: 您不需要完成這個步驟, 就能開始使用您的 Dreamweaver 網站。您只需要在要與網路連線並發佈您的網頁時再定義遠端伺服器即可。

名稱	位址	連線	遠端	測試
本機	C:/xampp/htdocs/basic/	本機/網路	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

+ - ✎ □

說明 儲存 取消

# 設定遠端伺服器

網站設定: 活動報名

網站	
伺服器	
版本控制	
▶ 進階設定	

基本 進階

伺服器名稱: 選端主機

連線方式: FTP

FTP 位址: ftp.summerhost.info 連接埠: 21

使用者名稱: sum\_19717973

密碼: .....  儲存

測試


根目錄: htdocs/basic/

Web URL: http://profchwu.summerhost.info/basic/

▶ 更多選項

說明 儲存 取消

# 勾選遠端主機



# 選取檔案上傳

Dw 檔案(F) 編輯(E) 檢視(V) 插入(I) 修改(M) 格式(O) 命令(C) 網站(S) 視窗(W) 說明(H)

常用 版面 表單 PHP 資料 Spry jQuery Mobile InContext Editing 文字 量變 社群推文按鈕

doedit.php x edit.php x admin.php x del.php x conn\_basic.php x index.php x index.php x

屬性 行為 標籤 <img>

PHP 線上報名系統v1.0 遠端

線上報名  
ONLINE

[\[ 新增資料 \]](#)

[\[ 查詢資料 \]](#)

[\[ 編修資料 \]](#)

Copyright (c) 2017 by 吳智鴻 ADT104001

活動報名 本機檢視

本機檔案 大小

- 網站 - 活動報名 (C:\...)
- Connections
  - conn\_basic.php 1KB
- images
  - edit.jpg 5KB
  - logo.png 3KB
  - online01.gif 14KB
  - show.png 15KB
- prg
- sql
  - add.php 3KB
  - add\_byDW.php 5KB
  - admin.php 3KB
  - del.php 1KB
  - doadd.php 2KB
  - doadd2.php 3KB
  - doedit.php 2KB
  - edit.php 4KB
  - index.php 1KB

<body> <p>

屬性

HTML 格式(F) 段落 類別 無 B I 標題(T)

CSS ID(1) 無 連結(L) 目標(G)

頁面屬性... 清單項目...

# 按F12測試，已經將網頁放在遠端虛擬主機了！



The screenshot shows a web browser window with the address bar containing the URL `profchwu.summerhost.info/basic/index.php`. The browser's toolbar includes icons for back, forward, refresh, and search, along with several open tabs. The main content area of the browser displays the following text and elements:

PHP 線上報名系統v1.0 遠端



[ [新增資料](#) ]

[ [查詢資料](#) ]

[ [編修資料](#) ]

Copyright (c) 2017 by 吳智鴻 ADT104001

# 大功告成

---

完成後的遠端主機網址

<http://profchwu.summerhost.info/basic/index.php>